

WEB BUFFER Module



REFINE
FINISHING

*The clever way
to convert*

Agente Esclusivo per l'Italia



INGLESE 65
since 1956

www.inglesesrl.com

Web Buffer Module

BUFFER SOLUTION

Bridging the gap between the printing unit and the finishing line




Specifications



CONTINUOUS FLOW IN COMPLEX PRODUCTION

Webguide

Built in pivoting roller guide
Ultrasonic edge guide sensor



INTELLIGENT HIGH CAPACITY BUFFER

Buffer capacity

11,5 m (37 ft)

Web speed

200 m/min (656 fpm)

Maximum web width

380 mm (15")

Tension control:

Closed loop dancer and servo system

Tension Range

10 - 100 N

Power

Supplied by finishing system

Compressed air


Supplied by finishing system

Weight

300 kg (661 lb)

Dimensions L x W x H

1500 x 900 x 900 mm (98.5 x 58.6 x 63")



WEB GUIDE ENSURES HIGH PRECISION

The **REFINE Buffer Module** bridges the gap between printing units and finishing lines, allowing almost any stand-alone digital or conventional printing press to be upgraded to an in-line configuration with an automated finishing line. Like the REFINE Compact or Creative.

The servo driven web accumulator section keeps the web tension stable in any situation, providing stable operating conditions for the connected machines. Manual and automatic modes ensure short setup times and trouble-free production. The easily accessible splicing table completes the package.



FULLY INTEGRATED SPLICING TABLE

In-line solution

Precise web-guiding system

Servo-driven buffer section

Compatible with a wide range of presses

Integrated splicing table



refinefinishing.com